


## **Advanced Laboratory Freezer Range**





















Robustly constructed from Stainless Steel this freezer from the **Labcold** Advanced range is designed to provide close temperature control for temperature sensitive products.



Insulated with Zero ODP Injected Polyurethane Insulation, the refrigerant is also ammonia, HCFC and

Fitted with a sturdy door lock, this Advanced freezer is ideal for demanding environments such as busy laboratories and features a manual defrost putting you in control.

Remote alarm contacts and an access port can be fitted at time of manufacture at an additional cost.

## **RAFR05203 Advanced Under Counter Freezer**

Part Number	RAFR05203
Capacity (Litres)	150
Style	Under Counter
Exterior Dimensions (HxWxD)	820 x 600 x 640mm
Energy Consumption	1.9kWh/24h
Operating Temperature	-20°C
Temperature Set Point Range	-18°C to -22°C
Interior Construction	Stainless Steel
Exterior Construction	Stainless Steel
Shelves	2
Shelf dimensions (W xD)	495 x 425mm
Fixed Plate Shelves	✓
Door Hinging	Right hand only
Door Style	Solid
Rear Castors	✓
Door Lock	✓
Access Port	Optional Extra
Remote Alarm Contacts	Optional Extra
Digital Temperature Control	✓
Digital Temperature Display	✓
High Temperature alarm	✓
Low Temperature alarm	✓
Door Open alarm	✓
Manual defrost	√
Environmentally friendly insulation	✓
Eco Friendly Refrigerant	√
Ammonia Free	√















Robustly constructed from steel with a stainless steel interior this freezer from the **Labcold** Advanced Range is designed to provide close temperature control for temperature sensitive items in the laboratory.

In addition, remote alarm contacts can be fitted as well as access ports. Contact us for bespoke racking inventory systems or specialised applications.



The air is continually circulated internally to ensure that where ever product is placed inside the cabinet, it stays within range. There is no internal 'step' and the interior is hygienic stainless steel making it easy to clean and stock. The 4 heavy duty shelves are fully adjustable and more shelves can be purchased as an optional extra. The robust doors are independently lockable and for increased security and convenience are self closing.

The cabinet is fitted with heavy duty, lockable castors making it easy to manoeuvre and clean behind which means this Advanced Laboratory Freezer is ideal for demanding environments.

## RAFR21263 Solid Door Advanced Laboratory Freezer

Part Number	RAFR21263
Capacity (Litres)	650
Style	Freestanding
Exterior Dimensions (HxWxD)	1985 x 710 x 800mm
Energy Consumption	8.7 kWh/24h
Operating Temperature	-20°C
Temperature Set Point Range	-18°C to -24°C
Interior Construction	Stainless Steel
Exterior Construction	White polyester coated sheet steel
Shelves	4
Maximum shelf loading kg	70
Shelf dimensions (W x D)	500 x 620 mm
Door Hinging	Right side hinging only
Door Style	Solid
Internal Light	✓
Lockable Castors	✓
Door Lock	✓
Access Port	Optional Extra
Digital Temperature Control	✓
Digital Temperature Display	✓
High Temperature Alarm	✓
Low Temperature Alarm	✓
Door Open Alarm	✓
Maximum Temperature Display	✓
Minimum Temperature Display	<b>√</b>
Auto Defrost	✓
Fan Assisted Cooling	√
Low GWP Refrigerant	✓
Ammonia Free	✓

















Robustly constructed from steel with a stainless steel interior this freezer from the **Labcold** Advanced Range is designed to provide close temperature control for temperature sensitive items in the laboratory.

In addition, remote alarm contacts can be fitted as well as access ports. Contact us for bespoke racking inventory systems or specialised applications.



The air is continually circulated internally to ensure that where ever product is placed inside the cabinet, it stays within range. There is no internal 'step' and the interior is hygienic stainless steel making it easy to clean and stock. The 8 heavy duty shelves are fully adjustable and more shelves can be purchased as an optional extra. The robust doors are independently lockable and for increased security and convenience are self closing.

The cabinet is fitted with heavy duty, lockable castors making it easy to manoeuvre and clean behind which means this Advanced Laboratory freezer is ideal for demanding environments.

## RAFR44263 Solid Door Advanced Laboratory Freezer

Part Number	RAFR44263
Capacity (Litres)	1300
Style	Freestanding
Exterior Dimensions (HxWxD)	1985 x 1420 x 800mm
Energy Consumption	11.6 kWh/24h
Operating Temperature	-20°C
Temperature Set Point Range	-18°C to -24°C
Interior Construction	Stainless Steel
Exterior Construction	White polyester coated sheet steel
Shelves	8
Maximum shelf loading kg	70
Shelf dimensions (W x D)	500 x 620 mm
Door Hinging	Opens from centre outwards
Door Style	Solid
Internal Light	✓
Lockable Castors	✓
2 Door Locks	✓
Access Port	Optional Extra
Digital Temperature Control	✓
Digital Temperature Display	✓
High Temperature Alarm	✓
Low Temperature Alarm	✓
Door Open Alarm	✓
Maximum Temperature Display	✓
Minimum Temperature Display	<b>√</b>
Auto Defrost	√
Fan Assisted Cooling	√
Low GWP Refrigerant	✓
Ammonia Free	✓



